

PRECISION BORE PYREX TUBING

INNER DIAMETER	LENGTH INCHES	INSIDE DIAM mm	LENGTH mm
0.0140	36	0.3556	914.40
0.0146	36	0.3708	914.40
0.0148	36	0.3759	914.40
0.0150	36	0.3810	914.40
0.0161	36	0.4089	914.40
0.0168	36	0.4267	914.40
0.0178	36	0.4521	914.40
0.0180	36	0.4572	914.40
0.0190	36	0.4826	914.40
0.0202	36	0.5131	914.40
0.0211	36	0.5359	914.40
0.0220	36	0.5588	914.40
0.0227	36	0.5766	914.40
0.0230	36	0.5842	914.40
0.0240	36	0.6096	914.40
0.0252	36	0.6401	914.40
0.0260	36	0.6604	914.40
0.0270	36	0.6858	914.40
0.0282	36	0.7163	914.40
0.0290	36	0.7366	914.40
0.0302	36	0.7671	914.40
0.0312	44	0.7925	1117.60
0.0320	44	0.8128	1117.60
0.0340	44	0.8636	1117.60
0.0342	44	0.8687	1117.60
0.0348	44	0.8839	1117.60
0.0351	22	0.8915	558.80
0.0360	44	0.9144	1117.60
0.0370	36	0.9398	914.40
0.0380	44	0.9652	1117.60
0.0390	36	0.9906	914.40
0.0391	44	0.9931	1117.60
0.0398	44	1.0109	1117.60
0.0400	36	1.0160	914.40
0.0401	21	1.0185	533.40
0.0407	44	1.0338	1117.60
0.0410	36	1.0414	914.40
0.0413	44	1.0490	1117.60
0.0420	40	1.0668	1016.00
0.0430	40	1.0922	1016.00
0.0438	44	1.1125	1117.60
0.0441	44	1.1201	1117.60
0.0444	42	1.1278	1066.80
0.0450	40	1.1430	1016.00
0.0452	44	1.1481	1117.60
0.0459	44	1.1659	1117.60
0.0460	40	1.1684	1016.00
0.0470	40	1.1938	1016.00
0.0484	44	1.2294	1117.60
0.0488	44	1.2395	1117.60
0.0492	44	1.2497	1117.60
0.0497	22	1.2624	558.80
0.0499	44	1.2675	1117.60
0.0500	40	1.2700	1016.00
0.0512	39	1.3005	990.60
0.0513	44	1.3030	1117.60

INNER DIAMETER	LENGTH INCHES	INSIDE DIAM mm	LENGTH mm
0.0516	43	1.3106	1092.20
0.0518	44	1.3157	1117.60
0.0520	40	1.3208	1016.00
0.0522	12	1.3259	304.80
0.0523	44	1.3284	1117.60
0.0524	43	1.3310	1092.20
0.0530	44	1.3462	1117.60
0.0536	44	1.3614	1117.60
0.0543	52	1.3792	1320.80
0.0544	44	1.3818	1117.60
0.0551	44	1.3995	1117.60
0.0553	41	1.4046	1041.40
0.0563	43	1.4300	1092.20
0.0575	44	1.4605	1117.60
0.0580	40	1.4732	1016.00
0.0590	40	1.4986	1016.00
0.0593	19	1.5062	482.60
0.0603	44	1.5316	1117.60
0.0604	22	1.5342	558.80
0.0613	44	1.5570	1117.60
0.0652	44	1.6561	1117.60
0.0670	40	1.7018	1016.00
0.0672	10	1.7069	254.00
0.0674	42	1.7120	1066.80
0.0701	8	1.7805	203.20
0.0709	44	1.8009	1117.60
0.0711	21	1.8059	533.40
0.0713	44	1.8110	1117.60
0.0722	44	1.8339	1117.60
0.0725	44	1.8415	1117.60
0.0733	8	1.8618	203.20
0.0736	45	1.8694	1143.00
0.0752	44	1.9101	1117.60
0.0759	44	1.9279	1117.60
0.0763	8	1.9380	203.20
0.0767	9	1.9482	228.60
0.0769	42	1.9533	1066.80
0.0770	10	1.9558	254.00
0.0782	8	1.9863	203.20
0.0791	8	2.0091	203.20
0.0792	8	2.0117	203.20
0.0802	8	2.0371	203.20
0.0807	43	2.0498	1092.20
0.0809	42	2.0549	1066.80
0.0813	8	2.0650	203.20
0.0822	42	2.0879	1066.80
0.0829	44	2.1057	1117.60
0.0834	8	2.1184	203.20
0.0842	11	2.1387	279.40
0.0850	44	2.1590	1117.60
0.0860	40	2.1844	1016.00
0.0863	8	2.1920	203.20
0.0871	8	2.2123	203.20
0.0880	40	2.2352	1016.00
0.0882	43	2.2403	1092.20
0.0884	21	2.2454	533.40

The dimensions above are for Pyrex Brand, Duran, or KG-33 glasses.

PRECISION BORE PYREX TUBING

INNER DIAMETER	LENGTH INCHES	INSIDE DIAM mm	LENGTH mm
0.0889	42	2.2581	1066.80
0.0895	44	2.2733	1117.60
0.0900	44	2.2860	1117.60
0.0903	19	2.2936	482.60
0.0904	17	2.2962	431.80
0.0907	19	2.3038	482.60
0.0909	25	2.3089	635.00
0.0910	43	2.3114	1092.20
0.0925	8	2.3495	203.20
0.0932	8	2.3673	203.20
0.0937	40	2.3800	1016.00
0.0942	8	2.3927	203.20
0.0957	42	2.4308	1066.80
0.0972	8	2.4689	203.20
0.0990	52	2.5146	1320.80
0.1003	42	2.5476	1066.80
0.1023	42	2.5984	1066.80
0.1033	52	2.6238	1320.80
0.1042	44	2.6467	1117.60
0.1052	44	2.6721	1117.60
0.1058	8	2.6873	203.20
0.1073	20	2.7254	508.00
0.1079	8	2.7407	203.20
0.1088	20	2.7635	508.00
0.1094	43	2.7788	1092.20
0.1108	8	2.8143	203.20
0.1110	44	2.8194	1117.60
0.1125	7	2.8575	177.80
0.1129	8	2.8677	203.20
0.1131	8	2.8727	203.20
0.1148	13	2.9159	330.20
0.1155	12	2.9337	304.80
0.1166	19	2.9616	482.60
0.1173	44	2.9794	1117.60
0.1183	13	3.0048	330.20
0.1190	43	3.0226	1092.20
0.1193	8	3.0302	203.20
0.1203	42	3.0556	1066.80
0.1213	38	3.0810	965.20
0.1247	13	3.1674	330.20
0.1248	43	3.1699	1092.20
0.1249	43	3.1725	1092.20
0.1264	43	3.2106	1092.20
0.1277	44	3.2436	1117.60
0.1281	17	3.2537	431.80
0.1282	12	3.2563	304.80
0.1285	19	3.2639	482.60
0.1294	31	3.2868	787.40
0.1297	20	3.2944	508.00
0.1300	12	3.3020	304.80
0.1308	8	3.3223	203.20
0.1313	19	3.3350	482.60
0.1326	19	3.3680	482.60
0.1336	44	3.3934	1117.60
0.1341	42	3.4061	1066.80
0.1351	44	3.4315	1117.60

INNER DIAMETER	LENGTH INCHES	INSIDE DIAM mm	LENGTH mm
0.1359	42	3.4519	1066.80
0.1370	20	3.4798	508.00
0.1371	44	3.4823	1117.60
0.1376	44	3.4950	1117.60
0.1377	12	3.4976	304.80
0.1386	44	3.5204	1117.60
0.1392	19	3.5357	482.60
0.1398	45	3.5509	1143.00
0.1402	43	3.5611	1092.20
0.1405	43	3.5687	1092.20
0.1412	44	3.5865	1117.60
0.1417	34	3.5992	863.60
0.1425	18	3.6195	457.20
0.1430	12	3.6322	304.80
0.1439	25	3.6551	635.00
0.1447	12	3.6754	304.80
0.1462	18	3.7135	457.20
0.1463	12	3.7160	304.80
0.1476	12	3.7490	304.80
0.1479	18	3.7567	457.20
0.1487	22	3.7770	558.80
0.1507	44	3.8278	1117.60
0.1516	13	3.8506	330.20
0.1525	10	3.8735	254.00
0.1529	13	3.8837	330.20
0.1553	19	3.9446	482.60
0.1562	36	3.9675	914.40
0.1563	11	3.9700	279.40
0.1568	11	3.9827	279.40
0.1574	44	3.9980	1117.60
0.1580	40	4.0132	1016.00
0.1593	19	4.0462	482.60
0.1601	17	4.0665	431.80
0.1606	23	4.0792	584.20
0.1613	23	4.0970	584.20
0.1621	42	4.1173	1066.80
0.1623	42	4.1224	1066.80
0.1625	9	4.1275	228.60
0.1630	43	4.1402	1092.20
0.1632	18	4.1453	457.20
0.1643	15	4.1732	381.00
0.1647	19	4.1834	482.60
0.1649	12	4.1885	304.80
0.1652	12	4.1961	304.80
0.1655	9	4.2037	228.60
0.1656	52	4.2062	1320.80
0.1658	12	4.2113	304.80
0.1661	19	4.2189	482.60
0.1672	34	4.2469	863.60
0.1681	43	4.2697	1092.20
0.1693	44	4.3002	1117.60
0.1706	12	4.3332	304.80
0.1708	13	4.3383	330.20
0.1717	18	4.3612	457.20
0.1721	19	4.3713	482.60
0.1725	19	4.3815	482.60

If you require an I.D. or length not listed, please contact us detailing your specific requirements.

PRECISION BORE PYREX TUBING

INNER DIAMETER	LENGTH INCHES	INSIDE DIAM mm	LENGTH mm
0.1731	19	4.3967	482.60
0.1737	34	4.4120	863.60
0.1741	19	4.4221	482.60
0.1746	19	4.4348	482.60
0.1762	13	4.4755	330.20
0.1765	34	4.4831	863.60
0.1771	44	4.4983	1117.60
0.1776	12	4.5110	304.80
0.1778	16	4.5161	406.40
0.1781	19	4.5237	482.60
0.1787	24	4.5390	609.60
0.1788	12	4.5415	304.80
0.1792	16	4.5517	406.40
0.1795	16	4.5593	406.40
0.1797	34	4.5644	863.60
0.1798	44	4.5669	1117.60
0.1807	18	4.5898	457.20
0.1809	20	4.5949	508.00
0.1811	16	4.5999	406.40
0.1812	10	4.6025	254.00
0.1814	19	4.6076	482.60
0.1818	15	4.6177	381.00
0.1827	11	4.6406	279.40
0.1829	11	4.6457	279.40
0.1838	8	4.6685	203.20
0.1843	19	4.6812	482.60
0.1847	11	4.6914	279.40
0.1849	19	4.6965	482.60
0.1856	13	4.7142	330.20
0.1871	43	4.7523	1092.20
0.1872	22	4.7549	558.80
0.1881	16	4.7777	406.40
0.1888	43	4.7955	1092.20
0.1891	14	4.8031	355.60
0.1893	43	4.8082	1092.20
0.1895	12	4.8133	304.80
0.1897	13	4.8184	330.20
0.1900	13	4.8260	330.20
0.1905	20	4.8387	508.00
0.1913	19	4.8590	482.60
0.1921	19	4.8793	482.60
0.1925	19	4.8895	482.60
0.1930	19	4.9022	482.60
0.1939	13	4.9251	330.20
0.1941	9	4.9301	228.60
0.1955	34	4.9657	863.60
0.1958	13	4.9733	330.20
0.1969	43	5.0013	1092.20
0.1976	34	5.0190	863.60
0.1983	34	5.0368	863.60
0.1987	20	5.0470	508.00
0.2003	36	5.0876	914.40
0.2008	12	5.1003	304.80
0.2015	13	5.1181	330.20
0.2026	39	5.1460	990.60
0.2028	18	5.1511	457.20

INNER DIAMETER	LENGTH INCHES	INSIDE DIAM mm	LENGTH mm
0.2043	20	5.1892	508.00
0.2045	12	5.1943	304.80
0.2047	18	5.1994	457.20
0.2050	18	5.2070	457.20
0.2052	34	5.2121	863.60
0.2054	18	5.2172	457.20
0.2059	34	5.2299	863.60
0.2063	12	5.2400	304.80
0.2069	12	5.2553	304.80
0.2074	36	5.2680	914.40
0.2076	13	5.2730	330.20
0.2091	14	5.3111	355.60
0.2098	19	5.3289	482.60
0.2099	19	5.3315	482.60
0.2100	19	5.3340	482.60
0.2111	34	5.3619	863.60
0.2114	12	5.3696	304.80
0.2119	12	5.3823	304.80
0.2129	13	5.4077	330.20
0.2131	13	5.4127	330.20
0.2134	12	5.4204	304.80
0.2136	39	5.4254	990.60
0.2142	13	5.4407	330.20
0.2149	36	5.4585	914.40
0.2154	12	5.4712	304.80
0.2165	10	5.4991	254.00
0.2171	13	5.5143	330.20
0.2175	12	5.5245	304.80
0.2179	10	5.5347	254.00
0.2195	28	5.5753	711.20
0.2197	10	5.5804	254.00
0.2199	29	5.5855	736.60
0.2201	18	5.5905	457.20
0.2205	19	5.6007	482.60
0.2207	38	5.6058	965.20
0.2213	12	5.6210	304.80
0.2217	9	5.6312	228.60
0.2226	42	5.6540	1066.80
0.2232	18	5.6693	457.20
0.2245	19	5.7023	482.60
0.2253	12	5.7226	304.80
0.2281	19	5.7937	482.60
0.2292	44	5.8217	1117.60
0.2297	15	5.8344	381.00
0.2298	36	5.8369	914.40
0.2304	14	5.8522	355.60
0.2320	34	5.8928	863.60
0.2336	14	5.9334	355.60
0.2341	11	5.9461	279.40
0.2343	52	5.9512	1320.80
0.2347	12	5.9614	304.80
0.2360	36	5.9944	914.40
0.2361	52	5.9969	1320.80
0.2369	18	6.0173	457.20
0.2375	42	6.0325	1066.80
0.2385	19	6.0579	482.60

The dimensions above are for Pyrex Brand, Duran, or KG-33 glasses.

PRECISION BORE PYREX TUBING

INNER DIAMETER	LENGTH INCHES	INSIDE DIAM mm	LENGTH mm
0.2398	18	6.0909	457.20
0.2415	18	6.1341	457.20
0.2426	14	6.1620	355.60
0.2433	18	6.1798	457.20
0.2436	43	6.1874	1092.20
0.2454	13	6.2332	330.20
0.2459	12	6.2459	304.80
0.2471	13	6.2763	330.20
0.2486	12	6.3144	304.80
0.2488	36	6.3195	914.40
0.2490	28	6.3246	711.20
0.2493	15	6.3322	381.00
0.2494	36	6.3348	914.40
0.2496	19	6.3398	482.60
0.2497	19	6.3424	482.60
0.2498	14	6.3449	355.60
0.2499	10	6.3475	254.00
0.2501	19	6.3525	482.60
0.2503	14	6.3576	355.60
0.2509	20	6.3729	508.00
0.2512	20	6.3805	508.00
0.2516	34	6.3906	863.60
0.2520	12	6.4008	304.80
0.2534	19	6.4364	482.60
0.2542	19	6.4567	482.60
0.2550	20	6.4770	508.00
0.2552	19	6.4821	482.60
0.2556	18	6.4922	457.20
0.2559	43	6.4999	1092.20
0.2565	12	6.5151	304.80
0.2570	19	6.5278	482.60
0.2573	19	6.5354	482.60
0.2589	20	6.5761	508.00
0.2599	43	6.6015	1092.20
0.2605	19	6.6167	482.60
0.2612	21	6.6345	533.40
0.2623	14	6.6624	355.60
0.2640	18	6.7056	457.20
0.2660	12	6.7564	304.80
0.2674	18	6.7920	457.20
0.2680	18	6.8072	457.20
0.2708	13	6.8783	330.20
0.2711	13	6.8859	330.20
0.2724	14	6.9190	355.60
0.2739	43	6.9571	1092.20
0.2750	43	6.9850	1092.20
0.2756	44	7.0002	1117.60
0.2757	14	7.0028	355.60
0.2760	19	7.0104	482.60
0.2767	43	7.0282	1092.20
0.2801	13	7.1145	330.20
0.2805	13	7.1247	330.20
0.2848	19	7.2339	482.60
0.2850	12	7.2390	304.80
0.2858	44	7.2593	1117.60
0.2859	34	7.2619	863.60

INNER DIAMETER	LENGTH INCHES	INSIDE DIAM mm	LENGTH mm
0.2862	28	7.2695	711.20
0.2863	13	7.2720	330.20
0.2870	42	7.2898	1066.80
0.2876	17	7.3050	431.80
0.2893	12	7.3482	304.80
0.2908	13	7.3863	330.20
0.2911	18	7.3939	457.20
0.2927	34	7.4346	863.60
0.2950	44	7.4930	1117.60
0.2986	36	7.5844	914.40
0.3024	32	7.6810	812.80
0.3040	19	7.7216	482.60
0.3069	24	7.7953	609.60
0.3082	19	7.8283	482.60
0.3102	42	7.8791	1066.80
0.3111	13	7.9019	330.20
0.3117	18	7.9172	457.20
0.3126	44	7.9400	1117.60
0.3143	19	7.9832	482.60
0.3148	44	7.9959	1117.60
0.3149	34	7.9985	863.60
0.3150	43	8.0010	1092.20
0.3166	18	8.0416	457.20
0.3168	31	8.0467	787.40
0.3187	12	8.0950	304.80
0.3234	12	8.2144	304.80
0.3239	12	8.2271	304.80
0.3255	20	8.2677	508.00
0.3271	13	8.3083	330.20
0.3274	18	8.3160	457.20
0.3310	23	8.4074	584.20
0.3312	24	8.4125	609.60
0.3314	12	8.4176	304.80
0.3315	19	8.4201	482.60
0.3410	12	8.6614	304.80
0.3434	19	8.7224	482.60
0.3450	21	8.7630	533.40
0.3466	21	8.8036	533.40
0.3476	18	8.8290	457.20
0.3482	44	8.8443	1117.60
0.3487	15	8.8570	381.00
0.3506	12	8.9052	304.80
0.3510	20	8.9154	508.00
0.3517	19	8.9332	482.60
0.3527	19	8.9586	482.60
0.3534	20	8.9764	508.00
0.3541	30	8.9941	762.00
0.3542	44	8.9967	1117.60
0.3553	31	9.0246	787.40
0.3557	42	9.0348	1066.80
0.3565	38	9.0551	965.20
0.3570	38	9.0678	965.20
0.3591	19	9.1211	482.60
0.3600	44	9.1440	1117.60
0.3636	44	9.2354	1117.60
0.3660	44	9.2964	1117.60

If you require an I.D. or length not listed, please contact us detailing your specific requirements.

PRECISION BORE PYREX TUBING

INNER DIAMETER	LENGTH INCHES	INSIDE DIAM mm	LENGTH mm
0.3674	26	9.3320	660.40
0.3675	18	9.3345	457.20
0.3688	19	9.3675	482.60
0.3699	19	9.3955	482.60
0.3722	9	9.4539	228.60
0.3747	37	9.5174	939.80
0.3751	52	9.5275	1320.80
0.3756	43	9.5402	1092.20
0.3810	52	9.6774	1320.80
0.3819	28	9.7003	711.20
0.3881	43	9.8577	1092.20
0.3892	19	9.8857	482.60
0.3904	19	9.9162	482.60
0.3906	44	9.9212	1117.60
0.3909	16	9.9289	406.40
0.3914	20	9.9416	508.00
0.3934	40	9.9924	1016.00
0.3935	44	9.9949	1117.60
0.3937	43	10.0000	1092.20
0.3954	18	10.0432	457.20
0.3965	24	10.0711	609.60
0.3967	18	10.0762	457.20
0.4000	13	10.1600	330.20
0.4002	33	10.1651	838.20
0.4004	25	10.1702	635.00
0.4022	26	10.2159	660.40
0.4027	44	10.2286	1117.60
0.4086	25	10.3784	635.00
0.4091	18	10.3911	457.20
0.4093	24	10.3962	609.60
0.4094	18	10.3988	457.20
0.4096	18	10.4038	457.20
0.4097	18	10.4064	457.20
0.4182	10	10.6223	254.00
0.4201	12	10.6705	304.80
0.4212	40	10.6985	1016.00
0.4218	12	10.7137	304.80
0.4223	18	10.7264	457.20
0.4232	11	10.7493	279.40
0.4249	30	10.7925	762.00
0.4305	42	10.9347	1066.80
0.4321	42	10.9753	1066.80
0.4322	18	10.9779	457.20
0.4323	18	10.9804	457.20
0.4325	21	10.9855	533.40
0.4328	18	10.9931	457.20
0.4329	43	10.9957	1092.20
0.4336	18	11.0134	457.20
0.4341	17	11.0261	431.80
0.4342	17	11.0287	431.80
0.4343	17	11.0312	431.80
0.4345	17	11.0363	431.80
0.4349	18	11.0465	457.20
0.4350	18	11.0490	457.20
0.4353	12	11.0566	304.80
0.4370	19	11.0998	482.60

INNER DIAMETER	LENGTH INCHES	INSIDE DIAM mm	LENGTH mm
0.4388	43	11.1455	1092.20
0.4391	19	11.1531	482.60
0.4394	18	11.1608	457.20
0.4400	18	11.1760	457.20
0.4416	18	11.2166	457.20
0.4427	18	11.2446	457.20
0.4444	43	11.2878	1092.20
0.4458	19	11.3233	482.60
0.4501	18	11.4325	457.20
0.4519	20	11.4783	508.00
0.4522	39	11.4859	990.60
0.4539	21	11.5291	533.40
0.4547	52	11.5494	1320.80
0.4552	29	11.5621	736.60
0.4565	33	11.5951	838.20
0.4595	19	11.6713	482.60
0.4603	18	11.6916	457.20
0.4606	18	11.6992	457.20
0.4642	19	11.7907	482.60
0.4659	43	11.8339	1092.20
0.4725	43	12.0015	1092.20
0.4744	18	12.0498	457.20
0.4746	18	12.0548	457.20
0.4768	18	12.1107	457.20
0.4815	17	12.2301	431.80
0.4823	18	12.2504	457.20
0.4841	18	12.2961	457.20
0.4852	17	12.3241	431.80
0.4855	18	12.3317	457.20
0.4894	19	12.4308	482.60
0.4958	14	12.5933	355.60
0.4972	32	12.6289	812.80
0.5001	18	12.7025	457.20
0.5004	18	12.7102	457.20
0.5010	18	12.7254	457.20
0.5025	18	12.7635	457.20
0.5033	17	12.7838	431.80
0.5034	17	12.7864	431.80
0.5042	41	12.8067	1041.40
0.5117	17	12.9972	431.80
0.5123	42	13.0124	1066.80
0.5144	17	13.0658	431.80
0.5165	42	13.1191	1066.80
0.5170	19	13.1318	482.60
0.5207	36	13.2258	914.40
0.5242	42	13.3147	1066.80
0.5278	18	13.4061	457.20
0.5281	41	13.4137	1041.40
0.5298	18	13.4569	457.20
0.5306	33	13.4772	838.20
0.5315	41	13.5001	1041.40
0.5353	17	13.5966	431.80
0.5394	28	13.7008	711.20
0.5453	41	13.8506	1041.40
0.5507	19	13.9878	482.60
0.5509	43	13.9929	1092.20

The dimensions above are for Pyrex Brand, Duran, or KG-33 glasses.

PRECISION BORE PYREX TUBING

INNER DIAMETER	LENGTH INCHES	INSIDE DIAM mm	LENGTH mm
0.5561	18	14.1249	457.20
0.5566	21	14.1376	533.40
0.5621	41	14.2773	1041.40
0.5706	43	14.4932	1092.20
0.5746	23	14.5948	584.20
0.5748	19	14.5999	482.60
0.5757	18	14.6228	457.20
0.5765	23	14.6431	584.20
0.5783	17	14.6888	431.80
0.5788	18	14.7015	457.20
0.5792	17	14.7117	431.80
0.5800	18	14.7320	457.20
0.5829	23	14.8057	584.20
0.5854	18	14.8692	457.20
0.5903	18	14.9936	457.20
0.5912	21	15.0165	533.40
0.5936	28	15.0774	711.20
0.6097	21	15.4864	533.40
0.6114	43	15.5296	1092.20
0.6119	17	15.5423	431.80
0.6136	18	15.5854	457.20
0.6145	39	15.6083	990.60
0.6158	17	15.6413	431.80
0.6191	39	15.7251	990.60
0.6192	18	15.7277	457.20
0.6234	18	15.8344	457.20
0.6248	43	15.8801	1092.20
0.6252	27	15.8699	685.80
0.6261	18	15.9029	457.20
0.6270	42	15.9258	1066.80
0.6273	17	15.9334	431.80
0.6284	16	15.9614	406.40
0.6371	17	16.1823	431.80
0.6378	17	16.2001	431.80
0.6400	24	16.2560	609.60
0.6410	42	16.2814	1066.80
0.6433	43	16.3398	1092.20
0.6562	28	16.6675	711.20
0.6565	11	16.6751	279.40
0.6626	12	16.8300	304.80
0.6688	18	16.9875	457.20
0.6704	18	17.0282	457.20
0.6718	17	17.0637	431.80
0.6797	42	17.2644	1066.80
0.6813	17	17.3050	431.80
0.6819	17	17.3203	431.80
0.6829	18	17.3457	457.20
0.6874	31	17.4600	787.40
0.6875	35	17.4625	889.00
0.6888	19	17.4955	482.60
0.6889	41	17.4981	1041.40
0.6890	18	17.5006	457.20
0.7078	18	17.9781	457.20
0.7109	17	18.0569	431.80
0.7116	17	18.0746	431.80
0.7154	42	18.1712	1066.80

INNER DIAMETER	LENGTH INCHES	INSIDE DIAM mm	LENGTH mm
0.7199	18	18.2855	457.20
0.7220	18	18.3388	457.20
0.7251	18	18.4175	457.20
0.7415	18	18.8341	457.20
0.7442	33	18.9027	838.20
0.7445	17	18.9103	431.80
0.7488	43	19.0195	1092.20
0.7490	19	19.0246	482.60
0.7500	34	19.0500	863.60
0.7533	18	19.1338	457.20
0.7544	17	19.1618	431.80
0.7591	17	19.2811	431.80
0.7645	17	19.4183	431.80
0.7703	16	19.5656	406.40
0.7712	26	19.5885	660.40
0.7715	18	19.5961	457.20
0.7720	16	19.6088	406.40
0.7725	22	19.6215	558.80
0.7740	16	19.6596	406.40
0.7742	19	19.6647	482.60
0.7755	36	19.6977	914.40
0.7782	29	19.7663	736.60
0.7874	41	20.0000	1041.40
0.7875	19	20.0025	482.60
0.7890	25	20.0406	635.00
0.8044	17	20.4318	431.80
0.8090	23	20.5486	584.20
0.8110	23	20.5994	584.20
0.8120	49	20.6248	1244.60
0.8133	17	20.6578	431.80
0.8143	18	20.6832	457.20
0.8150	23	20.7010	584.20
0.8201	17	20.8305	431.80
0.8218	35	20.8737	889.00
0.8245	23	20.9423	584.20
0.8249	19	20.9525	482.60
0.8266	17	20.9956	431.80
0.8279	33	21.0287	838.20
0.8282	19	21.0363	482.60
0.8290	18	21.0566	457.20
0.8302	21	21.0871	533.40
0.8393	15	21.3182	381.00
0.8405	17	21.3487	431.80
0.8436	15	21.4274	381.00
0.8440	15	21.4376	381.00
0.8463	18	21.4960	457.20
0.8468	18	21.5087	457.20
0.8470	18	21.5138	457.20
0.8496	23	21.5798	584.20
0.8541	17	21.6941	431.80
0.8590	33	21.8186	838.20
0.8643	15	21.9532	381.00
0.8650	42	21.9710	1066.80
0.8703	18	22.1056	457.20
0.8741	42	22.2021	1066.80
0.8745	17	22.2123	431.80

If you require an I.D. or length not listed, please contact us detailing your specific requirements.

PRECISION BORE PYREX TUBING

INNER DIAMETER	LENGTH INCHES	INSIDE DIAM mm	LENGTH mm
0.8750	17	22.2250	431.80
0.8760	32	22.2504	812.80
0.8775	20	22.2885	508.00
0.8905	11	22.6187	279.40
0.8940	19	22.7076	482.60
0.8948	23	22.7279	584.20
0.8980	17	22.8092	431.80
0.9030	31	22.9362	787.40
0.9054	17	22.9972	431.80
0.9058	18	23.0073	457.20
0.9061	43	23.0149	1092.20
0.9090	20	23.0886	508.00
0.9105	17	23.1267	431.80
0.9183	18	23.3248	457.20
0.9208	20	23.3883	508.00
0.9226	20	23.4340	508.00
0.9245	10	23.4823	254.00
0.9269	18	23.5433	457.20
0.9331	19	23.7007	482.60
0.9470	23	24.0538	584.20
0.9528	20	24.2011	508.00
0.9683	40	24.5948	1016.00
0.9702	18	24.6431	457.20
0.9731	19	24.7167	482.60
0.9745	10	24.7523	254.00
0.9822	11	24.9479	279.40
0.9845	42	25.0063	1066.80
0.9856	23	25.0342	584.20
0.9940	42	25.2476	1066.80
0.9943	36	25.2552	914.40
0.9994	37	25.3848	939.80
1.0000	42	25.4000	1066.80
1.0002	17	25.4051	431.80
1.0015	18	25.4381	457.20
1.0027	10	25.4686	254.00
1.0034	14	25.4864	355.60
1.0060	17	25.5524	431.80
1.0100	42	25.6540	1066.80
1.0110	28	25.6794	711.20
1.0125	17	25.7175	431.80
1.0135	14	25.7429	355.60
1.0150	18	25.7810	457.20
1.0160	18	25.8064	457.20
1.0197	18	25.9004	457.20
1.0205	17	25.9207	431.80
1.0230	17	25.9842	431.80
1.0231	10	25.9867	254.00
1.0233	19	25.9918	482.60
1.0236	21	25.9994	533.40
1.0237	13	26.0020	330.20
1.0310	18	26.1874	457.20
1.0320	21	26.2128	533.40
1.0325	21	26.2255	533.40
1.0328	21	26.2331	533.40
1.0330	14	26.2382	355.60
1.0390	42	26.3906	1066.80

INNER DIAMETER	LENGTH INCHES	INSIDE DIAM mm	LENGTH mm
1.0465	17	26.5811	431.80
1.0478	17	26.6141	431.80
1.0500	15	26.6700	381.00
1.0530	17	26.7462	431.80
1.0610	11	26.9494	279.40
1.0618	23	26.9697	584.20
1.0620	42	26.9748	1066.80
1.0650	17	27.0510	431.80
1.0670	22	27.1018	558.80
1.0710	17	27.2034	431.80
1.0780	11	27.3812	279.40
1.0814	11	27.4676	279.40
1.0920	17	27.7368	431.80
1.1000	14	27.9400	355.60
1.1020	17	27.9908	431.80
1.1040	17	28.0416	431.80
1.1050	11	28.0670	279.40
1.1060	22	28.0924	558.80
1.1081	17	28.1457	431.80
1.1140	17	28.2956	431.80
1.1170	17	28.3718	431.80
1.1205	17	28.4607	431.80
1.1220	29	28.4988	736.60
1.1240	34	28.5496	863.60
1.1250	17	28.5750	431.80
1.1265	17	28.6131	431.80
1.1270	36	28.6258	914.40
1.1336	38	28.7934	965.20
1.1360	17	28.8544	431.80
1.1400	10	28.9560	254.00
1.1415	17	28.9941	431.80
1.1450	17	29.0830	431.80
1.1475	17	29.1465	431.80
1.1500	17	29.2100	431.80
1.1515	17	29.2481	431.80
1.1565	17	29.3751	431.80
1.1810	12	29.9974	304.80
1.1830	18	30.0482	457.20
1.1850	18	30.0990	457.20
1.1860	11	30.1244	279.40
1.1870	37	30.1498	939.80
1.1889	17	30.1981	431.80
1.2000	11	30.4800	279.40
1.2040	12	30.5816	304.80
1.2041	17	30.5841	431.80
1.2050	17	30.6070	431.80
1.2070	12	30.6578	304.80
1.2075	12	30.6705	304.80
1.2088	22	30.7035	558.80
1.2095	17	30.7213	431.80
1.2097	17	30.7264	431.80
1.2287	32	31.2090	812.80
1.2318	15	31.2877	381.00
1.2325	15	31.3055	381.00
1.2335	17	31.3309	431.80
1.2410	17	31.5214	431.80

The dimensions above are for Pyrex Brand, Duran, or KG-33 glasses.

PRECISION BORE PYREX TUBING

INNER DIAMETER	LENGTH INCHES	INSIDE DIAM mm	LENGTH mm
1.2440	22	31.5976	558.80
1.2450	17	31.6230	431.80
1.2490	17	31.7246	431.80
1.2495	34	31.7373	863.60
1.2500	22	31.7500	558.80
1.2505	8	31.7627	203.20
1.2525	17	31.8135	431.80
1.2630	17	32.0802	431.80
1.2710	18	32.2834	457.20
1.2835	17	32.6009	431.80
1.2854	14	32.6492	355.60
1.2900	16	32.7660	406.40
1.3015	17	33.0581	431.80
1.3021	19	33.0733	482.60
1.3072	19	33.2029	482.60
1.3123	19	33.3324	482.60
1.3130	13	33.3502	330.20
1.3158	17	33.4213	431.80
1.3182	18	33.4823	457.20
1.3352	42	33.9141	1066.80
1.3430	17	34.1122	431.80
1.3465	12	34.2011	304.80
1.3490	19	34.2646	482.60
1.3590	11	34.5186	279.40
1.3659	18	34.6939	457.20
1.3700	12	34.7980	304.80
1.3750	36	34.9250	914.40
1.3760	17	34.9504	431.80
1.3770	10	34.9758	254.00
1.3780	17	35.0012	431.80
1.3830	38	35.1282	965.20
1.3845	9	35.1663	228.60
1.3930	17	35.3822	431.80
1.3970	17	35.4838	431.80
1.3985	17	35.5219	431.80
1.4035	17	35.6489	431.80
1.4055	40	35.6997	1016.00
1.4195	12	36.0553	304.80
1.4200	42	36.0680	1066.80
1.4270	17	36.2458	431.80
1.4480	18	36.7792	457.20
1.4685	18	37.2999	457.20
1.4692	39	37.3177	990.60
1.4825	13	37.6555	330.20
1.4840	17	37.6936	431.80
1.4970	23	38.0238	584.20
1.5000	17	38.1000	431.80
1.5005	42	38.1127	1066.80
1.5030	17	38.1762	431.80
1.5055	14	38.2397	355.60
1.5056	14	38.2422	355.60
1.5235	17	38.6969	431.80
1.5240	12	38.7096	304.80
1.5270	18	38.7858	457.20
1.5290	17	38.8366	431.80
1.5520	9	39.4208	228.60

INNER DIAMETER	LENGTH INCHES	INSIDE DIAM mm	LENGTH mm
1.5639	18	39.7231	457.20
1.5740	44	39.9796	1117.60
1.5770	17	40.0558	431.80
1.5795	17	40.1193	431.80
1.5935	38	40.4749	965.20
1.5985	14	40.6019	355.60
1.6035	17	40.7289	431.80
1.6135	18	40.9829	457.20
1.6185	17	41.1099	431.80
1.6279	45	41.3487	1143.00
1.6305	12	41.4147	304.80
1.6330	11	41.4782	279.40
1.6335	19	41.4909	482.60
1.6380	17	41.6052	431.80
1.6420	17	41.7068	431.80
1.6610	17	42.1894	431.80
1.6805	17	42.6847	431.80
1.7405	12	44.2087	304.80
1.7440	17	44.2976	431.80
1.7500	39	44.4500	990.60
1.7510	18	44.4754	457.20
1.7547	18	44.5694	457.20
1.7880	19	45.4152	482.60
1.7985	17	45.6819	431.80
1.8040	16	45.8216	406.40
1.8096	17	45.9638	431.80
1.8435	38	46.8249	965.20
1.8440	39	46.8376	990.60
1.8455	14	46.8757	355.60
1.8555	11	47.1297	279.40
1.8760	17	47.6504	431.80
1.8785	9	47.7139	228.60
1.8800	17	47.7520	431.80
1.8805	32	47.7647	812.80
1.8815	26	47.7901	660.40
1.8885	11	47.9679	279.40
1.9045	14	48.3743	355.60
1.9150	8	48.6410	203.20
1.9295	17	49.0093	431.80
1.9597	18	49.7764	457.20
1.9686	48	50.0024	1219.20
1.9706	14	50.0532	355.60
1.9880	18	50.4952	457.20
2.0000	43	50.8000	1092.20
2.0010	9	50.8254	228.60
2.0040	17	50.9016	431.80
2.0060	14	50.9524	355.60
2.0070	17	50.9778	431.80
2.0090	12	51.0286	304.80
2.0140	17	51.1556	431.80
2.0160	17	51.2064	431.80
2.0230	17	51.3842	431.80
2.0480	17	52.0192	431.80
2.0600	9	52.3240	228.60
2.0680	17	52.5272	431.80
2.0740	39	52.6796	990.60

If you require an I.D. or length not listed, please contact us detailing your specific requirements.

PRECISION BORE PYREX TUBING

INNER DIAMETER	LENGTH INCHES	INSIDE DIAM mm	LENGTH mm
2.1000	17	53.3400	431.80
2.1060	13	53.4924	330.20
2.1070	13	53.5178	330.20
2.1090	11	53.5686	279.40
2.1250	17	53.9750	431.80
2.1420	39	54.4068	990.60
2.1660	13	55.0164	330.20
2.1780	13	55.3212	330.20
2.2060	9	56.0324	228.60
2.2210	18	56.4134	457.20
2.2560	17	57.3024	431.80
2.2960	42	58.3184	1066.80
2.3120	17	58.7248	431.80
2.3200	9	58.9280	228.60
2.3360	17	59.3344	431.80
2.3850	11	60.5790	279.40
2.4100	17	61.2140	431.80
2.4280	17	61.6712	431.80
2.4770	17	62.9158	431.80
2.4780	17	62.9412	431.80
2.5000	18	63.5000	457.20
2.5740	10	65.3796	254.00
2.5920	17	65.8368	431.80
2.6240	29	66.6496	736.60
2.6680	17	67.7672	431.80
2.6880	17	68.2752	431.80
2.7000	32	68.5800	812.80
2.7060	17	68.7324	431.80
2.7420	17	69.6468	431.80
2.7500	17	69.8500	431.80
2.7910	13	70.8914	330.20
2.8090	17	71.3486	431.80
2.8800	17	73.1520	431.80
2.8990	17	73.6346	431.80
3.0000	37	76.2000	939.80
3.0230	17	76.7842	431.80
3.0410	9	77.2414	228.60
3.0770	13	78.1558	330.20
3.0880	13	78.4352	330.20
3.1040	44	78.8416	1117.60
3.1250	13	79.3750	330.20
3.1330	13	79.5782	330.20

INNER DIAMETER	LENGTH INCHES	INSIDE DIAM mm	LENGTH mm
3.1830	13	80.8482	330.20
3.2220	13	81.8388	330.20
3.2640	13	82.9056	330.20
3.2800	27	83.3120	685.80
3.3310	23	84.6074	584.20
3.3750	17	85.7250	431.80
3.5000	16	88.9000	406.40
3.5000	13	88.9000	330.20
3.5670	10	90.6018	254.00
3.6770	16	93.3958	406.40
3.7390	17	94.9706	431.80
3.7870	9	96.1898	228.60
3.8180	17	96.9772	431.80
3.8850	10	98.6790	254.00
3.9830	44	101.1682	1117.60
4.0000	26	101.6000	660.40
4.1050	17	104.2670	431.80
4.2480	9	107.8992	228.60
4.4000	15	111.7600	381.00
4.6090	12	117.0686	304.80
4.6800	13	118.8720	330.20
4.7580	9	120.8532	228.60
5.3420	22	135.6868	558.80
5.4640	14	138.7856	355.60
5.5360	11	140.6144	279.40
6.0000	21	152.4000	533.40
6.1830	16	157.0482	406.40
7.6290	8	193.7766	203.20

The dimensions above are for Pyrex Brand, Duran, or KG-33 glasses.